

**Amendments to the Claims:**

This listing of claims will replace all prior versions, and listings, of claims in the application:

**Listing of Claims:**

1. (currently amended) A computer-implemented method for modifying documents to aid a user in determining which entry of one or more entries in the documents to choose, comprising:

identifying a preexisting document stored by a server in a network, where the identified document includes one or more entries;

determining a score for each of the entries in the identified document based on a score of a document associated with the entry;

modifying the identified document based on the determined scores; and

providing the modified document.

2. (previously presented) The method of claim 1, wherein the identified document includes a web document.

3. (previously presented) The method of claim 1, wherein the identified document includes a non-web document.

4. (previously presented) The method of claim 1, wherein the identifying a preexisting document includes:

intercepting data of a document sent from a server to a client.

5. (original) The method of claim 1, wherein each of the entries includes a link to another document or another portion of the identified document and link information corresponding to the link.

6. (original) The method of claim 1, wherein each of the entries includes a link to a linked document or another portion of the identified document.

7. (previously presented) The method of claim 6, wherein the determining a score includes:

for each of the linked documents, determining scores for one or more linking documents that contain links to the linked document,

determining a score for each of the linked documents based on the scores of the one or more linking documents, and

associating the determined scores for the linked documents with the corresponding entries in the identified document.

8. (previously presented) The method of claim 6, wherein the determining a score includes:

determining a clickthrough rate for each of the linked documents,

determining a score for each of the linked documents based on the determined

clickthrough rates, and

associating the determined scores for the linked documents with the corresponding entries in the identified document.

9. (previously presented) The method of claim 6, wherein the determining a score includes:

determining a popularity of each of the linked documents,

determining a score for each of the linked documents based on the determined popularity,

and

associating the determined scores for the linked documents with the corresponding entries in the identified document.

10. (original) The method of claim 9, wherein the determining a popularity includes:  
for each of the linked documents, determining a popularity of a web site containing the linked document, and

associating the popularity of the web site to the linked document.

11. (previously presented) The method of claim 6, wherein the determining a score includes:

receiving a query from the user,

determining a score for each of the linked documents using the received query, and

associating the determined scores for the linked documents with the corresponding entries

in the identified document.

12. (previously presented) The method of claim 11, wherein the determining a score for each of the linked documents includes:

for each of the linked documents, comparing the query with contents of the linked document, and

determining a score for the linked document based on a degree of match between the query and the contents of the linked document.

13. (previously presented) The method of claim 6, wherein the determining a score includes:

receiving input from the user,

determining a score for each of the linked documents based on the received input, and

associating the determined scores for the linked documents with the corresponding entries in the identified document.

14. (previously presented) The method of claim 13, wherein the determining a score for each of the linked documents includes:

for each of the linked documents, comparing one or more words of the received input with contents of the linked document, and

determining a score for the linked document based on a degree of match between the one or more words and the contents of the linked document.

15. (original) The method of claim 1, wherein the modifying includes:  
reordering the entries based on the determined scores.
16. (original) The method of claim 15, wherein the reordering includes:  
sorting the entries based on the determined scores.
17. (original) The method of claim 1, wherein the modifying includes:  
visually distinguishing the entries based on the determined scores.
18. (original) The method of claim 17, wherein the visually distinguishing includes:  
changing at least one visual characteristic of the entries based on the determined scores.
19. (previously presented) The method of claim 18, wherein the changing at least one  
visual characteristic includes:  
changing at least one of a font, style, size, or color of the entries provided to the user.
20. (original) The method of claim 17, wherein the visually distinguishing includes:  
moving one or more of the entries with a score above a threshold to a prominent location  
in the identified document.
21. (original) The method of claim 17, wherein the visually distinguishing includes:

deleting one or more of the entries with scores below a predetermined threshold.

22. (original) The method of claim 1, wherein the modifying includes:  
annotating the entries based on the determined scores.

23. (previously presented) The method of claim 22, wherein the annotating includes:  
adding at least one of scores, rating symbols, or document information to the entries  
based on the determined scores.

24. (currently amended) A system for modifying a document to aid a user in  
determining which entry of a plurality of entries in the document to select, comprising:  
means for identifying a document based on an address associated with the identified  
document, where the identified document includes a plurality of entries;  
means for determining a score for each of the entries in the identified document based on  
a score of a document associated with the entry;  
means for modifying the identified document based on the determined scores; and  
means for providing the identified document to the user.

25. (currently amended) A system for modifying entries in documents to aid users in  
determining which of the entries to choose, comprising:  
a memory configured to store instructions; and  
a processor configured to execute the instructions in the memory to identify one or more

documents that include a plurality of entries based on one or more addresses associated with the one or more documents, determine a score for each of the entries in the one or more documents based on a score of a document associated with the entry, modify the entries based on the determined scores, and provide the identified one or more documents with the modified entries.

26. (currently amended) A computer-readable medium that stores instructions executable by at least one processor, comprising:

a browser configured to request documents from a network based on addresses associated with the documents, each of the documents including one or more entries; and

a browser assistant configured to determine a score for each of the entries in each of the requested documents based on a score of a document associated with the entry, modify the requested documents based on the determined scores, and present the modified documents to facilitate selection of one or more of the entries.

27. (previously presented) A web browser stored in a computer-readable medium, comprising:

instructions for requesting documents stored on at least one server based on addresses associated with the documents, each of the documents including one or more entries;

instructions for determining scores for each of the entries;

instructions for modifying the requested documents based on the determined scores; and

instructions for presenting the modified documents to facilitate selection of one or more of the entries.

28. (currently amended) A computer-implemented method for modifying entries in an existing document to aid a user in determining which of the entries to select, comprising:

receiving a request for an existing document that includes one or more entries;

determining a score for each of the entries in the document based on a score of a document associated with the entry;

modifying the entries by at least one of reordering, deleting, visually distinguishing, or annotating the entries based on the determined scores; and

providing the document with the modified entries ~~to the user~~.

29. (original) The method of claim 28, wherein the determining includes:

identifying the entries in the document,

sending the identified entries to a server, and

receiving, from the server, scores for the identified entries.

30. (original) The method of claim 28, wherein the determining and modifying include:

sending the document to a server, and

receiving the document with the modified entries from the server.

31. (currently amended) A server, comprising:

a memory configured to store instructions; and

a processor configured to execute the instructions in the memory to:

obtain a request for a document that includes one or more entries,

identify the document based on an address associated with the document,

determine a score for each of the entries in the document based on a score of a

document associated with the entry,

modify the document based on the determined scores, and

provide the modified document to facilitate selection of one of the entries in the modified document.

32. (original) A first server in a network including the first server and a plurality of second servers, comprising:

a memory configured to store instructions; and

a processor configured to execute the instructions in the memory to obtain, from one of the second servers, one or more entries from a document, determine scores for the one or more entries, and return the scores to the one second server.

33. (original) A computer-implemented method for modifying a document by a first server in a network that includes the first server and at least one second server, comprising:

receiving a document from the second server, the document including one or more entries;

determining a score for a number of the one or more entries;

modifying the document based on the determined scores; and

sending the modified document to the second server.

34. (original) A first server in a network that includes the first server and at least one second server, comprising:

a memory configured to store instructions; and

a processor configured to execute the instructions in the memory to obtain a document that includes one or more entries from the second server, determine a score for a number of the one or more entries, modify the one or more entries based on the determined scores, and send the document with the modified one or more entries to the second server.

35. (canceled)

36. (canceled)

37. (new) A client device, comprising:

a browser to:

receive an input from a user,

request a document based on the input, the document including a plurality of links to other documents; and

a browser assistant to:

intercept the document,

parse the document to identify the links in the document,

determine a score for each of the links,  
modify the document based on the determined scores, and  
present the modified document to the user.